





Polishing Felts





I n d e x

Square Edge Felt Wheels

Mandrel Mounted Felt Bobs

Felt Bobs (Unmounted)

Felt Cones

Felt Discs

Knife Edge Felt Discs

Ring Buffs

Felt Combination Buffs

Solid Ring Buffs

Split & Bevel Laps

Felt Sheets

Felt Rings

Polishing Kits

Speciality Products


SOFT

MEDIUM

HARD

ROCK HARD

FLINT HARD



Square Edge Felt Wheels




- ▶ Manufactured adopting a combination of hammering & fulling process to provide adequate entanglement & working life.
- ▶ Suitable for diverse polishing application for a variety of materials & surfaces.
- ▶ Can be used with all abrasives, greaseless or glue based compounds.
- ▶ Ensures blemish free mirror finish.
- ▶ Available in different sizes & densities as listed below :

Size (Dia x Thickness)		Item code			
In mm	In inches	Soft	Medium	Hard	Rock Hard
100x12	4 x 1/2"	2110012	2210012	2310012	2410012
100x20	4 x 3/4"	2110020	2210020	2310020	2410020
100x25	4 x 1"	2110025	2210025	2310025	2410025
100x32	4 x 1 1/4"	2110032	2210032	2310032	2410032
100x38	4 x 1 1/2"	2110038	2210038	2310038	2410038
100x44	4 x 1 3/4"	2110044	2210044	2310044	2410044
100x50	4 x 2"	2110050	2210050	2310050	2410050
125x12	5 x 1/2"	2112512	2212512	2312512	2412512
125x20	5 x 3/4"	2112520	2212520	2312520	2412520
125x25	5 x 1"	2112525	2212525	2312525	2412525
125x32	5 x 1 1/4"	2112532	2212532	2312532	2412532
125x38	5 x 1 1/2"	2112538	2212538	2312538	2412538
125x44	5 x 1 3/4"	2112544	2212544	2312544	2412544
125x50	5 x 2"	2112550	2212550	2312550	2412550
150x12	6 x 1/2"	2115012	2215012	2315012	2415012
150x20	6 x 3/4"	2115020	2215020	2315020	2415020
150x25	6 x 1"	2115025	2215025	2315025	2415025
150x32	6 x 1 1/4"	2115032	2215032	2315032	2415032
150x38	6 x 1 1/2"	2115038	2215038	2315038	2415038
150x44	6 x 1 3/4"	2115044	2215044	2315044	2415044
150x50	6 x 2"	2115050	2215050	315050	2415050
175x12	7 x 1/2"	2117512	2217512	2317512	2417512
175x20	7 x 3/4"	2117520	2217520	2317520	2417520
175x25	7 x 1"	2117525	2217525	2317525	2417525
175x32	7 x 1 1/4"	2117532	2217532	2317532	2417532
175x38	7 x 1 1/2"	2117538	2217538	2317538	2417538
175x44	7 x 1 3/4"	2117544	2217544	2317544	2417544
175x50	7 x 2"	2117550	2217550	2317550	2417550

Special sizes on request.

Continue....




Square Edge Felt Wheels



Size (Dia x Thickness)		Item code			
In mm	In inches	Soft	Medium	Hard	Rock Hard
200x12	8 x 1/2"	2120012	2220012	2320012	2420012
200x20	8 x 3/4"	2120020	2220020	2320020	2420020
200x25	8 x 1"	2120025	2220025	2320025	2420025
200x32	8 x 1 1/4"	2120032	2220032	2320032	2420032
200x38	8 x 1 1/2"	2120038	2220038	2320038	2420038
200x44	8 x 1 3/4"	2120044	2220044	2320044	2420044
200x50	8 x 2"	2120050	2220050	2320050	2420050
250x12	10 x 1/2"	2125012	2225012	2325012	2425012
250x20	10 x 3/4"	2125020	2225020	2325020	2425020
250x25	10 x 1"	2125025	2225025	2325025	2425025
250x32	10 x 1 1/4"	2125032	2225032	2325032	2425032
250x38	10 x 1 1/2"	2125038	2225038	2325038	2425038
250x44	10 x 1 3/4"	2125044	2225044	2325044	2425044
250x50	10 x 2"	2125050	2225050	2325050	2425050
300x12	12 x 1/2"	2130012	2230012	2330012	2430012
300x20	12 x 3/4"	2130020	2230020	2330020	2430020
300x25	12 x 1"	2130025	2230025	2330025	2430025
300x32	12 x 1 1/4"	2130032	2230032	2330032	2430032
300x38	12 x 1 1/2"	2130038	2230038	2330038	2430038
300x44	12 x 1 3/4"	2130044	2230044	2330044	2430044
300x50	12 x 2"	2130050	2230050	2330050	2430050
350x25	14 x 1"	2135025	2235025	2335025	2435025
350x38	14 x 1 1/2"	2135038	2235038	2335038	2435038
350x50	14 x 2"	2135050	2235050	2335050	2435050
400x25	16 x 1"	2140025	2240025	2340025	2440025
400x38	16 x 1 1/2"	2140038	2240038	2340038	2440038
400x50	16 x 2"	2140050	2240050	2340050	2440050
450x25	18 x 1"	2145025	2245025	2345025	2445025
450x38	18 x 1 1/2"	2145038	2245038	2345038	2445038
450x50	18 x 2"	2145050	2245050	2345050	2445050

Special sizes on request.



Mandrel Mounted Felt Bobs


- ▶ Available in **Cylindrical & Six Standard shapes**.
- ▶ Suitable for working with small hand tools to undertake deburring, highlighting & polishing of any hard to reach areas.

Cylindrical

Size (mm) Dia x Facex Mandrel	Item Code			
	Soft	Medium	Hard	Rock Hard
3x6x3	41CS001	42CS001	43CS001	44CS001
4x8x3	41CS002	42CS002	43CS002	44CS002
5x10x3	41CS003	42CS003	43CS003	44CS003
6x6x3	41CS004	42CS004	43CS004	44CS004
6x10x3	41CS005	42CS005	43CS005	44CS005
6x12x3	41CS006	42CS006	43CS006	44CS006
8x8x3	41CS007	42CS007	43CS007	44CS007
8x10x3	41CS008	42CS008	43CS008	44CS008
8x12x3	41CS009	42CS009	43CS009	44CS009
8x16x3	41CS010	42CS010	43CS010	44CS010
10x10x3	41CS011	42CS011	43CS011	44CS011
13x13x3	41CB001	42CB001	43CB001	44CB001
13x19x3	41CB002	42CB002	43CB002	44CB002
13x25x3	41CB003	42CB003	43CB003	44CB003
19x19x3	41CB004	42CB004	43CB004	44CB004
19x25x3	41CB005	42CB005	43CB005	44CB005
19x38x6	41CB006	42CB006	43CB006	44CB006
25x25x6	41CB007	42CB007	43CB007	44CB007
25x32x6	41CB008	42CB008	43CB008	44CB008
25x48x6	41CB009	42CB009	43CB009	44CB009
25x45x6	41CB010	42CB010	43CB010	44CB010
25x50x6	41CB011	42CB011	43CB011	44CB011
32x32x6	41CB012	42CB012	43CB012	44CB012
38x25x6	41CB013	42CB013	43CB013	44CB013
38x38x6	41CB014	42CB014	43CB014	44CB014
50x25x6	41CB015	42CB015	43CB015	44CB015
50x38x6	41CB016	42CB016	43CB016	44CB016
50x50x6	41CB017	42CB017	43CB017	44CB017

Spindle sizes : 2.34mm, 3mm, 6mm, & 3/32", 1/8", 1/4" or as required.

Can be made nearly in any shape & size as per customer's requirements.




STANDARD SHAPES

Shape	Size (mm)	Item code			
		Soft	Medium	Hard	Rock Hard
	10x13x3	41SS01A	42SS01A	43SS01A	44SS01A
	13x25x3	41SS01B	42SS01B	43SS01B	44SS01B
	19x38x3	41SS01C	42SS01C	43SS01C	44SS01C
	25x50x6	41SS01D	42SS01D	43SS01D	44SS01D
	10x13x3	41SS02A	42SS02A	43SS02A	44SS02A
	13x13x3	41SS02B	42SS02B	43SS02B	44SS02B
	19x19x3	41SS02C	42SS02C	43SS02C	44SS02C
	25x25x6	41SS02D	42SS02D	43SS02D	44SS02D
	10x13x3	41SS03A	42SS03A	43SS03A	44SS03A
	13x25x3	41SS03B	42SS03B	43SS03B	44SS03B
	19x38x3	41SS03C	42SS03C	43SS03C	44SS03C
	25x50x6	41SS03D	42SS03D	43SS03D	44SS03D
	13x19x3	41SS04A	42SS04A	43SS04A	44SS04A
	19x25x3	41SS04B	42SS04B	43SS04B	44SS04B
	25x32x6	41SS04C	42SS04C	43SS04C	44SS04C
	13x19x3	41SS05A	42SS05A	43SS05A	44SS05A
	19x25x3	41SS05B	42SS05B	43SS05B	44SS05B
	25x32x6	41SS05C	42SS05C	43SS05C	44SS05C
	13x13x3	41SS06A	42SS06A	43SS06A	44SS06A
	19x19x3	41SS06B	42SS06B	43SS06B	44SS06B
	25x25x6	41SS06C	42SS06C	43SS06C	44SS06C
	22x10x2.34				
	1 layer	41SC011	42SC011	43SC011	44SC011
	3 layers	41SC013	42SC013	43SC013	44SC013
	7 layers	41SC017	42SC017	43SC017	44SC017
	25x10x2.34				
	1 Layer	41SC021	42SC021	43SC021	44SC021
	3 Layers	41SC023	42SC023	43SC023	44SC023
	7 Layers	41SC027	42SC027	43SC027	44SC027

Spindle sizes : 2.34mm, 3mm, 6mm, & 3/32", 1/8", 1/4" or as required.

Can be made nearly in any shape & size as per customer's requirements.



Felt Bobs (Unmounted)



- Individually balanced.
- Ensures true running.
- Can be mounted on wide variety of small hand tools.


Size (mm) Dia x Thickness	Medium	Item Code Hard	Rock Hard
6x10	5200610	5300610	5400610
6x13	5200613	5300613	5400613
10x20	5201020	5301020	5401020
12x12	5201212	5301212	5401212
12x25	5201225	5301225	5401225
19x19	5201919	5301919	5401919
19x25	5201925	5301925	5401925
25x25	5202525	5302525	5402525
25x50	5202550	5302550	5402550



Felt Cones

Pointed * Bullnose / Rounded Head

Size (mm) Dia x Thickness	Medium	Item Code Hard	Rock Hard
6x10	6200610	6300610	6400610
6x13	6200613	6300613	6400613
10x20	6201020	6301020	6401020
15x25	6201525	6301525	6401525
14x35	6201435	6301435	6401435
20x40	6202040	6302040	6402040
25x50	6202550	6302550	6402550



Felt Discs *with pinhole*


Designed to be used on various hand tools to polish all surfaces. These alone provide satisfactory results.

Size (mm) Dia x Thickness	Soft	Medium	Item code Hard	Rock hard	Flint Hard
12x3	7100123	7200123	7300123	7400123	7500123
12x6	7100126	7200126	7300126	7400126	7500126
19x3	7100193	7200193	7300193	7400193	7500193
19x6	7100196	7200196	7300196	7400196	7500196
25x3	7100253	7200253	7300253	7400253	7500253
25x6	7100256	7200256	7300256	7400256	7500256
25x9	7100259	7200259	7300259	7400259	7500259
32x6	7100326	7200326	7300326	7400326	7500326
32x12	7103212	7203212	7303212	7403212	7503212
38x6	7100386	7200386	7300386	7400386	7500386
38x12	7103812	7203812	7303812	7403812	7503812
50x6	7100506	7200506	7300506	7400506	7500506
50x12	7105012	7205012	7305012	7405012	7505012
50x19	7105019	7205019	7305019	7405019	7505019
50x25	7105025	7205025	7305025	7405025	7505025
60x6	7100606	7200606	7300606	7400606	7500606
60x12	7106012	7206012	7306012	7406012	7506012
60x19	7106019	7206019	7306019	7406019	7506019
60x25	7106025	7206025	7306025	7406025	7506025
75x6	7100756	7200756	7300756	7400756	7500756
75x12	7107512	7207512	7307512	7407512	7507512
75x19	7107519	7207519	7307519	7407519	7507519
75x25	7107525	7207525	7307525	7407525	7507525

Knife Edge Discs *with pinhole*

Suitable for polishing of recesses & hard to reach areas.
Size (mm)

Dia x Thickness	Hard	Item code Rock Hard	Flint Hard
12x5	8300125	8400125	8500125
16x5	8300165	8400165	8500165
19x5	8300195	8400195	8500195
25x5	8300255	8400255	8500255
40x5	8300405	8400405	8500405
50x10	8305010	8405010	8505010
60x10	8306010	8406010	8506010
75x10	8307510	8407510	8507510
100x10	8310010	8410010	8510010
125x10	8312510	8412510	8512510
150x15	8315015	8415015	8515015



Ring Buffs

- Mounted on best grade wood.
- Available in different sizes.
- Soft & medium densities.

Dimensions (mm)	Felt	Item Code	
		Soft	Medium
Total length with wood	LengthxBottom diaxTop dia		
75	70 x 25 x 15	9010500	9020500
90	82 x 22 x 14	9010501	9020501
115	75 x 14 x 08	9010502	9020502
115	75 x 19 x 14	9010503	9020503
140	100x 22 x 17	9010504	9020504
170	130x 25 x 17	9010505	9020505
190	150x 27 x 19	9010506	9020506

Felt Combination Buffs

A combination product for polishing of rings & bangles.

Dimensions in mm	Felt	Item Code	
		Soft	Medium
Total length with wood	LengthxBottom diaxTop dia		
115	75 x 19 x 14 (Disc 50 x 12)	1010602	10120602
140	100 x 22 x 17 (Disc 50 x 14)	10110603	10120603

Solid Ring Buffs


Suitable for polishing rings.

Size (mm)	Item Code	
	Soft	Medium
Length x Bottom dia x Top dia		
75 x 19 x 14	1110702	1120702
100 x 22 x 16	1110703	1120703


Split & Bevel Laps

Engineered precisely to meet challenging demands particularly of jewelry industry.

Size (Dia)		Item code / Thickness 1/2"(13mm)				
In mm	In Inches	Soft	Medium	Hard	Rock Hard	Flint Hard
100	4"	1210100	1220100	1230100	1240100	1250100
125	5"	1210125	1220125	1230125	1240125	1250125
150	6"	1210150	1220150	1230150	1240150	1250150
175	7"	1210175	1220175	1230175	1240175	1250175
200	8"	1210200	1220200	1230200	1240200	1250200




Felt Sheets



Manufactured using best of sheep wools & adopting fulling technology. These sheets are available with following standard specifications :


Grade		Density (gmc ³)
Soft	-	0.34
Medium	-	0.44
Hard	-	0.56
Extra Hard	-	0.68
Colour	-	White / Grey
Thickness	-	From 3mm (1/8") to 50mm (2"). Higher thickness also possible.
Size	-	1mtr. X 1mtr. Special sizes available on request.

Felt Polishing Rings



- ▶ Extensively used for polishing applications.
- ▶ Suitable for bevelling & edge polishing applications.
- ▶ Manufactured in wide range to suit individual needs.
- ▶ Can be **resin impregnated** to provide extra stiffness & dimensional suitability.


Polishing Kits



Combinations of various products to suit versatile polishing needs.

Kit		Item code
05 piece kit	-	1300005
11 piece kit	-	1300011
17 piece kit	-	1300017


Speciality Products




There are many more special products manufactured and marketed by us



FELT FLAP WHEELS



VELCRO BACKED FELT DISCS



VULCANISED FIBRE BACKED FELT DISCS



CUP/PLATE MOUNTED FELT DISCS



WOOD MOUNTED FELT SANDERS



STONE POLISHING FELTS



FELT STICKS, STRIPS AND CORDS



SELF ADHESIVE BACKED FELT DISCS

WE WELCOME YOUR ENQUIRIES.